

# FLAIR FRAMELESS

FLEXIBILITY IS KEY TO THE FLAIR FRAMELESS CONCEPT. THIS CLEVERLY DESIGNED RANGE IS SUITABLE FOR BOTH WETROOM AND SHOWER TRAY APPLICATION

<b>6mm</b> GLASS THICKNESS	<b>HEIGHT</b> 1950mm	<b>MAGNETIC CLOSURE</b>	<b>RISING BUTT HINGE MECHANISM FOR SMOOTH MOVEMENT</b>
<b>CLEAN EASY</b> COATING	<b>REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION</b>	<b>EASY ACCESS SOLUTION</b>	<b>LIFETIME GUARANTEE</b>





# FLAIR FRAMELESS

## CORNER PIVOT DOORS

### SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Pivot Doors 800mm	780mm	800mm	640mm	FFCPD80S
Corner Pivot Doors 900mm	880mm	900mm	740mm	FFCPD90S
Corner Pivot Doors 1000mm	980mm	1000mm	840mm	FFCPD100S

\*Corner pivot doors suitable for wetroom installation only.



SOLID CHROME  
KNOB HANDLES



PATENTED FAILSAFE  
GLASS SYSTEM

6

GLASS  
THICKNESS

↑  
↓

HEIGHT  
1950mm

20

PRODUCT  
ADJUSTMENT

SUITABLE FOR  
WETROOM  
INSTALLATION  
ONLY

SUITABLE FOR  
INSTALLATION  
WITH INLINE  
PANELS

INWARD  
AND OUTWARD  
OPENING

EASY ACCESS  
SOLUTION





# FLAIR FRAMELESS

## OFFSET CORNER PIVOT DOORS

### SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Corner Pivot Doors 1000* x 800 *Consists of 800mm Door & 200mm Inline Panel	780mm	800mm	640mm	FFCPD100x80S
Offset Corner Pivot Doors 1200* x 800 *Consists of 800mm Door & 400mm Inline Panel	780mm	800mm	640mm	FFCPD120x80S
Offset Corner Pivot Doors 1200* x 900 *Consists of 900mm Door & 300mm Inline Panel	880mm	900mm	740mm	FFCPD120x90S

\*Offset Corner pivot doors suitable for wetroom installation only.



SOLID CHROME  
KNOB HANDLES



PATENTED FAILSAFE  
GLASS SYSTEM

6mm  
GLASS THICKNESS

HEIGHT  
1950mm

20mm  
PRODUCT ADJUSTMENT

SUITABLE FOR  
WETROOM  
INSTALLATION  
ONLY

SUITABLE FOR  
INSTALLATION  
WITH INLINE  
PANELS

INLINE PANEL  
WITH  
SHELVES OPTION  
AVAILABLE

INWARD  
AND OUTWARD  
OPENING

EASY ACCESS  
SOLUTION







# FLAIR FRAMELESS

PIVOT DOOR

## SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Pivot Door 700mm	660mm	700mm	540mm	FFPD70S
Pivot Door 800mm	760mm	800mm	640mm	FFPD80S
Pivot Door 900mm	860mm	900mm	740mm	FFPD90S
Pivot Door 1000mm	960mm	1000mm	840mm	FFPD100S

Suitable for installation with a side panel - See page 21.

6mm  
GLASS  
THICKNESS

HEIGHT  
1950mm

40mm  
PRODUCT  
ADJUSTMENT

SUITABLE FOR  
WETROOM OR  
SHOWER TRAY  
INSTALLATION

SUITABLE FOR  
SIDE PANEL  
INSTALLATION

SUITABLE FOR  
INSTALLATION  
WITH 1  
INLINE PANEL

INLINE PANEL  
WITH  
SHELVES OPTION  
AVAILABLE

EASY ACCESS  
SOLUTION



SOLID CHROME  
KNOB HANDLES





PIVOT DOOR,  
INLINE PANEL WITH SHELVES

# FLAIR FRAMELESS

INLINE PANELS



PIVOT DOOR,  
INLINE PANEL WITHOUT SHELVES

## SIZE OPTIONS

PRODUCT DESCRIPTION	CODE
Inline Panel 200mm	FFIL20S
Inline Panel 300mm	FFIL30S
Inline Panel 400mm	FFIL40S
Inline Panel 200mm with 3 Shelves	FFILS20S
Inline Panel 300mm with 3 Shelves	FFILS30S
Inline Panel 400mm with 3 Shelves	FFILS40S

Suitable for installation with a side panel - See page 21.

6mm  
GLASS THICKNESS

HEIGHT  
1950mm

SUITABLE FOR  
WETROOM OR  
SHOWER TRAY  
INSTALLATION

INLINE PANEL  
WITH SHELVES  
OPTION  
AVAILABLE

SUPPLIED  
WITH FLAIR  
FRAMELESS  
STABILISING BAR

failsafe  
PATENTED  
FAILSAFE SECURE  
GLASS SYSTEM




# FLAIR FRAMELESS


SALOON DOOR

## SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Saloon Door 800mm	760mm	800mm	640mm	FFSD80S
Saloon Door 900mm	860mm	900mm	740mm	FFSD90S
Saloon Door 1000mm	960mm	1000mm	840mm	FFSD100S
Saloon Door 1200mm	1160mm	1200mm	1040mm	FFSD120S




6mm  
GLASS  
THICKNESS




HEIGHT  
1950mm




40mm  
PRODUCT  
ADJUSTMENT




INWARD  
AND OUTWARD  
OPENING




SUITABLE FOR  
WETROOM OR  
SHOWER TRAY  
INSTALLATION




SUITABLE FOR  
INSTALLATION  
WITH INLINE  
PANELS




ISING  
BUTT HINGE  
MECHANISM  
FOR SMOOTH  
MOVEMENT



SUITABLE FOR  
SIDE PANEL  
INSTALLATION



INLINE PANEL  
WITH SHELVES  
OPTION  
AVAILABLE



EASY ACCESS  
SOLUTION







# FLAIR FRAMELESS

SIDE PANEL  
SUITABLE FOR PIVOT DOOR  
OR SALOON DOORS

## SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	675mm	700mm	FFSP70S
Side Panel 800mm	775mm	800mm	FFSP80S
Side Panel 900mm	875mm	900mm	FFSP90S
Side Panel 1000mm	975mm	1000mm	FFSP100S
Side Panel 1200mm	1175mm	1200mm	FFSP120S

**6mm**  
GLASS  
THICKNESS

**HEIGHT  
1950mm**

**25mm**  
PRODUCT  
ADJUSTMENT

SUITABLE FOR  
WETROOM OR  
SHOWER TRAY  
INSTALLATION

ALUMINIUM  
FLOOR  
PROTECTOR  
STRIP

**650mm**  
ANGLED  
STABILISING  
BAR WITH  
SIDE PANEL



PATENTED FAILSAFE  
GLASS SYSTEM

\*Maximum of 1 inline panel to be installed alongside side panel.