



## **Radiators & Towel Rails** Designer Range 2017

ISSUE 3 - FEBRUARY 2017



Kartell UK has established a reputation as a premier supplier of high quality products to the UK Plumbing and Heating Sector. We are delighted to introduce our new for 2016 K-Rad Designer Radiator brochure. Take a look at our wide range, all designed to provide exactly what we have become famous for at Kartell – delivering a quality product, offering a quality service and delivering at a competitive price.

Within these pages you will find the latest designer radiators and towel rails, influenced by fashions and designers across Europe. You will also find the traditional styles that have remained with us over the years; solid functional designs with durability and ease of use and maintenance. We trust that you will enjoy this new catalogue.

Designer Radiators		Designer Towel Rails	
Aspen White Horizontal	4	Toledo	31
Aspen White Vertical	5	Metro	32
Aspen Black Horizontal	6	Ohio	33
Aspen Black Vertical	7	Connecticut	34
Aspen Stainless Horizontal	8	Orlando	35
Aspen Stainless Vertical	9	Newark	36
Boston White	10	Memphis	37
Boston Anthracite	11	Phoenix	38
Boston Chrome	12	New York	39
Florida	13	Houston	40
Laser Klassic Horizontal	14	Crown	41
Laser Klassic Vertical	15	Oakland	42
K-Flat Horizontal	16	K Squared	43
K-Flat Vertical	17	K Rail 22mm Chrome	44
K-Flat Premium Horizontal	18	K Rail 22mm White	45
K-Flat Premium Vertical	19	K Rail New 25mm Chrome	46
Vermont	20	K Rail 25mm Chrome	47
Vermont Hi	21	K Rail 25mm White	48
Nostalgia	22	K Rail 19mm	49
Legacy	23	Electric rails	50
San Jose	24		
Miami	25	Radiator Valves & Extras	51-52
Cincinnati	26		
Kansas	27		
Los Angeles	28		
Chicago	29		
Idaho	30		

This publication is issued subject to alteration or withdrawal without notice. The illustrations and specifications are not binding in detail. All offers and sales are subject to the company's current terms and conditions of sale. Printed colours in this publication, whilst a good reflection, they may not be an exact match to the finished products.

All prices shown include VAT and are correct at the time of going to press.




RAL colours are available as an optional extra on the following products\*  
Look out for the RAL symbol at the top of the page.

Nostalgia	Page 22
Legacy	Page 23
Laser Klassic Radiators	Pages 14-15
K-FLAT Flat Panel Radiators	Pages 16-17
K-FLAT Premium Flat Panel Radiators	Pages 18-19

*\*Please phone for prices on all RAL coloured products*


NEUTRAL COLOURS




VIVID COLOURS



PASTEL COLOURS



COOL COLOURS



WARM COLOURS



RICH COLOURS




# Aspen White Horizontal

Tested  
7.8  
BAR 5 YEAR  
GUARANTEE




Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
				(c1)	(c2)		
Aspen Single							
ASP60-37SW	600	360	55	360	40	1434	170.50
ASP60-55SW	600	540	55	540	40	2234	239.80
ASP60-79SW	600	780	55	780	40	3309	323.70
ASP60-97SW	600	960	55	960	40	4428	386.30
ASP60-115SW	600	1140	55	1140	40	5111	451.50
ASP60-145SW	600	1440	55	1440	40	6377	559.40
Aspen Double							
ASP60-37DW	600	360	79	360	60	2467	247.80
ASP60-55DW	600	540	79	540	60	3850	346.30
ASP60-79DW	600	780	79	780	60	5694	475.50
ASP60-97DW	600	960	79	960	60	7591	570.10
ASP60-115DW	600	1140	79	1140	60	8645	668.70
ASP60-145DW	600	1440	79	1440	60	10780	825.80



Tested  
7.8  
BAR 5 YEAR  
GUARANTEE



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
Aspen Single							
ASP16-43VSW	1600	420	55	420	40	4187	326.30
ASP18-31VSW	1800	300	55	300	40	3563	270.40
ASP18-43VSW	1800	420	55	420	40	4796	358.30
ASP18-55VSW	1800	540	55	540	40	6299	446.20
Aspen Double							
ASP16-43VDW	1600	420	79	420	60	8170	439.60
ASP18-31VDW	1800	300	79	300	60	6933	346.30
ASP18-43VDW	1800	420	79	420	60	9540	468.90
ASP18-55VDW	1800	540	79	540	60	12283	591.40



# Aspen White Vertical




# Aspen Black Horizontal

Tested  
7.8  
BAR 5 YEAR  
GUARANTEE




Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
Aspen Single							
ASP60-37SB	600	360	55	360	40	1434	174.50
ASP60-55SB	600	540	55	540	40	2234	247.80
ASP60-79SB	600	780	55	780	40	3309	333.00
ASP60-97SB	600	960	55	960	40	4428	399.60
ASP60-115SB	600	1140	55	1140	40	5111	466.20
ASP60-145SB	600	1440	55	1440	40	6377	576.80
Aspen Double							
ASP60-37DB	600	360	79	360	60	2467	255.70
ASP60-55DB	600	540	79	540	60	3850	357.00
ASP60-79DB	600	780	79	780	60	5694	490.20
ASP60-97DB	600	960	79	960	60	7591	586.10
ASP60-115DB	600	1140	79	1140	60	8645	687.30
ASP60-145DB	600	1440	79	1440	60	10780	852.50



Tested  
7.8  
BAR 5 YEAR  
GUARANTEE




Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
Aspen Single							
ASP16-43VSB	1600	420	55	420	40	4187	335.70
ASP18-31VSB	1800	300	55	300	40	3563	278.40
ASP18-43VSB	1800	420	55	420	40	4796	369.00
ASP18-55VSB	1800	540	55	540	40	6299	459.50
Aspen Double							
ASP16-43VDB	1600	420	79	420	60	8170	452.90
ASP18-31VDB	1800	300	79	300	60	6933	358.30
ASP18-43VDB	1800	420	79	420	60	9540	483.50
ASP18-55VDB	1800	540	79	540	60	12283	608.70




# Aspen Black Vertical



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
Aspen Single							
ASP60-40S	600	400	63	400	50	1271	333.00
ASP60-57S	600	570	63	570	50	1902	395.60
ASP60-80S	600	800	63	800	50	2749	459.50
ASP60-100S	600	1000	63	1000	50	3592	494.20
ASP60-120S	600	1200	63	1200	50	4016	512.80
ASP60-150S	600	1500	63	1500	50	5 075	642.00
Aspen Double							
ASP60-40D	600	370	88	370	70	2187	643.40
ASP60-57D	600	550	88	550	70	3285	623.40
ASP60-75D	600	790	88	790	70	4379	860.50
ASP60-100D	600	970	88	970	70	6204	935.10
ASP60-120D	600	1150	88	1150	70	6904	1005.70
ASP60-150D	600	1450	88	1450	70	8763	1276.10





Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
Aspen Single							
ASP180-25S	1800	250	63	250	50	2334	508.80
ASP180-31S	1800	310	63	310	50	2918	614.10
ASP180-45S	1800	450	63	450	50	4059	824.50
ASP180-56S	1800	560	63	560	50	5248	1033.60
Aspen Double							
ASP180-25D	1800	250	88	250	70	4552	881.30
ASP180-31D	1800	310	88	310	70	5690	1131.10
ASP180-45D	1800	450	88	450	70	7916	1571.80
ASP180-56D	1800	560	88	560	70	10234	1905.90







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
1200 Series						
BOS1200-410W	1200	410	370	50	2,488	203.80
BOS1200-480W	1200	480	440	50	2,904	234.40
BOS1200-550W	1200	550	510	50	3,319	262.40
1600 Series						
BOS1600-410W	1600	410	370	50	3,240	237.10
BOS1600-480W	1600	480	440	50	3,781	273.10
BOS1600-550W	1600	550	510	50	4,322	305.00
1800 Series						
BOS1800-410W	1800	410	370	50	3,616	257.10
BOS1800-480W	1800	480	440	50	4,219	295.70
BOS1800-550W	1800	550	510	50	4,823	329.00





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
1200 Series						
BOS1200-410A	1200	410	370	50	2,488	211.80
BOS1200-480A	1200	480	440	50	2,904	243.80
BOS1200-550A	1200	550	510	50	3,319	271.70
1600 Series						
BOS1600-410A	1600	410	370	50	3,240	246.40
BOS1600-480A	1600	480	440	50	3,781	283.70
BOS1600-550A	1600	550	510	50	4,322	317.00
1800 Series						
BOS1800-410A	1800	410	370	50	3,616	266.40
BOS1800-480A	1800	480	440	50	4,219	306.40
BOS1800-550A	1800	550	510	50	4,823	341.00



Can be installed horizontally







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
1200 Series						
BOS1200-410C	1200	410	370	50	1638	314.40
BOS1200-480C	1200	480	440	50	1911	361.00
BOS1200-550C	1200	550	510	50	2185	402.30
1600 Series						
BOS1600-410C	1600	410	370	50	2133	365.00
BOS1600-480C	1600	480	440	50	2489	419.60
BOS1600-550C	1600	550	510	50	2845	470.20
1800 Series						
BOS1800-410C	1800	410	370	50	2380	394.30
BOS1800-480C	1800	480	440	50	2777	454.20
BOS1800-550C	1800	550	510	50	3174	504.80




Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
600 Series							
FLO490-600	600	490	40	550	50-65	2062	499.50
FLO590-600	600	590	40	550	50-65	2473	563.40
800 Series							
FLO490-800	800	490	40	750	50-65	2749	632.70
FLO590-800	800	590	40	750	50-65	3294	721.90
1000 Series							
FLO490-1000	1000	490	40	950	50-65	3437	804.50
FLO590-1000	1000	590	40	950	50-65	4120	895.10
1200 Series							
FLO490-1200	1200	490	40	1150	50-65	4120	912.40
FLO590-1200	1200	590	40	1150	50-65	4946	1037.60
1800 Series							
FLO1800-290	1800	290	40	1750	50-65	3713	861.80
FLO1800-390	1800	390	40	1750	50-65	4946	1142.90





	Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
	2 Columns							
	LCL206014	600	650	66	535	14	2707	254.40
	LCL206018	600	830	66	535	18	3480	320.10
	LCL206022	600	1010	66	535	22	4255	386.90
	LCL206026	600	1190	66	535	26	5027	450.50
	3 Columns							
	LCL306014	600	650	107	535	14	3694	275.60
	LCL306018	600	830	107	535	18	4724	349.80
	LCL306022	600	1010	107	535	22	5773	418.70
	LCL306026	600	1190	107	535	26	6824	492.90
	4 Columns							
	LCL404014	400	650	148	335	14	3354	386.90
	LCL404018	400	830	148	335	18	4312	492.90
	LCL404022	400	1010	148	335	22	5269	598.90
	LCL404026	400	1190	148	335	26	6229	704.90
	LCL406014	600	650	148	535	14	4900	312.70
	LCL406018	600	830	148	535	18	6300	397.50
	LCL406022	600	1010	148	535	22	7701	477.00
	LCL406026	600	1190	148	535	26	9102	562.90
	LCL407514	750	650	148	685	14	6043	355.10
	LCL407518	750	830	148	685	18	7769	445.20
	LCL407522	750	1010	148	685	22	9460	540.60
	LCL407526	750	1190	148	685	26	11221	636.00
	6 Columns							
	LCL603022	300	1010	230	235	22	5915	439.90
	LCL603026	300	1190	230	235	26	6991	519.40
	LCL603030	300	1370	230	235	30	8067	593.60




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

**Optional feet**  
adds 120mm to the height



Code	Description	Price (per pair)
T2F	2 column	£76.30
T3F	3 column	£76.30
T4F	4 column	£76.30
T6F	6 column	£76.30



D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.


Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
LCL215007	1500	335	66	1435	7	3215	291.50
LCL215009	1500	425	66	1435	9	4133	371.00
LCL215011	1500	515	66	1435	11	5051	445.20
LCL218007	1800	335	66	1735	7	3858	298.90
LCL218009	1800	425	66	1735	9	4960	379.50
LCL218011	1800	515	66	1735	11	6063	455.80




# K-Flat Kompact Horizontal



Type 11 Single Convector



Type 22 Double Convector



TYPE 11 Single Convector						
Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KS406F	600	56	345	40 or 55	1586	108.40
KS408F	800	56	345	40 or 55	2115	128.40
KS410F	1000	56	345	40 or 55	2644	148.60
KS412F	1200	56	345	40 or 55	3173	172.30
KS414F	1400	56	345	40 or 55	3701	190.80
KS416F	1600	56	345	40 or 55	4230	212.30
500mm high						
KS504F	400	56	445	40 or 55	1279	102.30
KS506F	600	56	445	40 or 55	1918	120.60
KS508F	800	56	445	40 or 55	2558	144.70
KS510F	1000	56	445	40 or 55	3197	169.40
KS512F	1200	56	445	40 or 55	3837	198.10
KS514F	1400	56	445	40 or 55	4476	220.00
KS516F	1600	56	445	40 or 55	5116	241.30
600mm high						
KS604F	400	56	545	40 or 55	1489	109.40
KS606F	600	56	545	40 or 55	2233	131.00
KS608F	800	56	545	40 or 55	2977	159.20
KS610F	1000	56	545	40 or 55	3722	187.50
KS612F	1200	56	545	40 or 55	4466	210.80
KS614F	1400	56	545	40 or 55	5211	245.50
KS616F	1600	56	545	40 or 55	5955	270.20
KS618F	1800	56	545	40 or 55	6699	294.10
KS620F	2000	56	545	40 or 55	7444	318.30


TYPE 22 Double Convector						
Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KD406F	600	105	345	82.5 or 97.5	3133	146.20
KD408F	800	105	345	82.5 or 97.5	4178	178.80
KD410F	1000	105	345	82.5 or 97.5	5222	211.50
KD412F	1200	105	345	82.5 or 97.5	6266	248.20
KD414F	1400	105	345	82.5 or 97.5	7311	279.00
KD416F	1600	105	345	82.5 or 97.5	8355	313.20
500mm high						
KD504F	400	105	445	82.5 or 97.5	2499	135.80
KD506F	600	105	445	82.5 or 97.5	3748	167.30
KD508F	800	105	445	82.5 or 97.5	4997	207.20
KD510F	1000	105	445	82.5 or 97.5	6247	247.40
KD512F	1200	105	445	82.5 or 97.5	7496	291.50
KD514F	1400	105	445	82.5 or 97.5	8746	329.00
KD516F	1600	105	445	82.5 or 97.5	9995	366.00
600mm high						
KD604F	400	105	545	82.5 or 97.5	2876	150.00
KD606F	600	105	545	82.5 or 97.5	4314	187.50
KD608F	800	105	545	82.5 or 97.5	5752	234.90
KD610F	1000	105	545	82.5 or 97.5	7190	282.10
KD612F	1200	105	545	82.5 or 97.5	8627	333.40
KD614F	1400	105	545	82.5 or 97.5	10065	377.90
KD616F	1600	105	545	82.5 or 97.5	11503	421.70
KD618F	1800	105	545	82.5 or 97.5	12941	464.50
KD620F	2000	105	545	82.5 or 97.5	14379	507.80

For full range of sizes, please refer to K-Rad Trade Range brochure



# K-Flat Kompact Vertical



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

TYPE 10 Single Panel (No Side Panels)						
Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
SV318F	300	52.5	245	42	1672	196.20
SV418F	400	52.5	345	42	2235	223.30
SV518F	500	52.5	445	42	2791	251.00
SV618F	600	52.5	545	42	3371	281.80

TYPE 20 Double Panel (With Side Panels)						
Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
DV318F	300	72.5	245	59	2774	281.80
DV418F	400	72.5	345	59	3709	321.50
DV518F	500	72.5	445	59	4603	363.70
DV618F	600	72.5	545	59	5521	402.90
2000mm high						
DV420F	400	72.5	345	59	4159	344.50


For full range of sizes, please refer to K-Rad Trade Range brochure

K-FLAT Vertical radiators are supplied with an optional retaining stay for enhanced safety. We strongly recommend the implementation of the safety equipment and will not accept responsibility for issues or damage caused by not using the retaining stay.


# K-Flat Premium Kompact Horizontal



Type 11 Single Convector



Type 22 Double Convector



TYPE 11 Single Convector						
Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KS406FP	600	56	345	40 or 55	1586	130.10
KS408FP	800	56	345	40 or 55	2115	154.10
KS410FP	1000	56	345	40 or 55	2644	178.30
KS412FP	1200	56	345	40 or 55	3173	206.80
KS414FP	1400	56	345	40 or 55	3701	228.90
KS416FP	1600	56	345	40 or 55	4230	254.80
500mm high						
KS504FP	400	56	445	40 or 55	1279	122.80
KS506FP	600	56	445	40 or 55	1918	144.70
KS508FP	800	56	445	40 or 55	2558	173.70
KS510FP	1000	56	445	40 or 55	3197	203.20
KS512FP	1200	56	445	40 or 55	3837	237.70
KS514FP	1400	56	445	40 or 55	4476	264.00
KS516FP	1600	56	445	40 or 55	5116	289.60
600mm high						
KS604FP	400	56	545	40 or 55	1489	131.30
KS606FP	600	56	545	40 or 55	2233	157.20
KS608FP	800	56	545	40 or 55	2977	191.10
KS610FP	1000	56	545	40 or 55	3722	225.00
KS612FP	1200	56	545	40 or 55	4466	253.00
KS614FP	1400	56	545	40 or 55	5211	294.50
KS616FP	1600	56	545	40 or 55	5955	324.30
KS618FP	1800	56	545	40 or 55	6699	352.90
KS620FP	2000	56	545	40 or 55	7444	382.00


TYPE 22 Double Convector						
Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KD406FP	600	105	345	82.5 or 97.5	3133	175.50
KD408FP	800	105	345	82.5 or 97.5	4178	214.60
KD410FP	1000	105	345	82.5 or 97.5	5222	253.90
KD412FP	1200	105	345	82.5 or 97.5	6266	297.80
KD414FP	1400	105	345	82.5 or 97.5	7311	334.90
KD416FP	1600	105	345	82.5 or 97.5	8355	375.90
500mm high						
KD504FP	400	105	445	82.5 or 97.5	2499	163.00
KD506FP	600	105	445	82.5 or 97.5	3748	200.70
KD508FP	800	105	445	82.5 or 97.5	4997	248.60
KD510FP	1000	105	445	82.5 or 97.5	6247	296.90
KD512FP	1200	105	445	82.5 or 97.5	7496	349.80
KD514FP	1400	105	445	82.5 or 97.5	8746	394.80
KD516FP	1600	105	445	82.5 or 97.5	9995	439.20
600mm high						
KD604FP	400	105	545	82.5 or 97.5	2876	180.10
KD606FP	600	105	545	82.5 or 97.5	4314	225.00
KD608FP	800	105	545	82.5 or 97.5	5752	281.90
KD610FP	1000	105	545	82.5 or 97.5	7190	338.50
KD612FP	1200	105	545	82.5 or 97.5	8627	400.10
KD614FP	1400	105	545	82.5 or 97.5	10065	453.50
KD616FP	1600	105	545	82.5 or 97.5	11503	506.00
KD618FP	1800	105	545	82.5 or 97.5	12941	557.40
KD620FP	2000	105	545	82.5 or 97.5	14379	609.30

For full range of sizes, please refer to K-Rad Trade Range brochure



# K-Flat Premium Kompact Vertical



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

TYPE 10 Single Panel (No Side Panels)						
Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
SV318FP	300	52.5	245	42	1672	225.60
SV418FP	400	52.5	345	42	2235	256.80
SV518FP	500	52.5	445	42	2791	288.60
SV618FP	600	52.5	545	42	3371	324.10

TYPE 20 Double Panel (With Side Panels)						
Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
DV318FP	300	72.5	245	59	2774	324.10
DV418FP	400	72.5	345	59	3709	369.70
DV518FP	500	72.5	445	59	4603	418.30
DV618FP	600	72.5	545	59	5521	463.30



For full range of sizes, please refer to K-Rad Trade Range brochure

K-FLAT Vertical radiators are supplied with an optional retaining stay for enhanced safety. We strongly recommend the implementation of the safety equipment and will not accept responsibility for issues or damage caused by not using the retaining stay.






Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
581mm high						
VER500-05	400	95	400	65	2,538	137.20
VER500-08	640	95	640	65	4,060	205.10
VER500-10	800	95	800	65	5,075	249.10
VER500-13	1040	95	1040	65	6,598	317.00
VER500-15	1200	95	1200	65	7,613	362.30
VER500-18	1440	95	1440	65	9,136	432.90
681mm high						
VER600-05	400	95	400	65	3,091	142.50
VER600-08	640	95	640	65	4,946	213.10
VER600-10	800	95	800	65	6,182	261.10
VER600-13	1040	95	1040	65	8,037	333.00
VER600-15	1200	95	1200	65	9,273	379.60
VER600-18	1440	95s	1440	65	11,128	455.50



Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
1870m high						
VER1800-03HI	240	100	240	65	3,691	362.30
VER1800-04HI	320	100	320	65	4,922	488.80
VER1800-05HI	400	100	400	65	6,152	566.10
VER1800-06HI	480	100	480	65	7,382	668.70
VER1800-07HI	560	100	560	65	8,613	792.50



Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		No. of Sections	Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)			
760mm high							
600/180/6	456	180	476	122/132	6	3132	438.40
954mm high							
800/180/6	456	180	476	122/132	6	3906	591.80




For full range of sizes, please refer to K-Rad Trade Range brochure

Supplied in dark grey primer (RAL7022) for over painting. RAL colour finish available - POA  
Please ensure that you have a joining key, to check all joints are tight before installing.



Shown finished in Black RAL5004



Supplied in dark grey primer RAL7022 as shown left.  
Many other sizes available, please phone for details.

Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)	No. of Sections	Output Δt60°C (BTUs)	Price (£)
660mm high						
4/65/10	600	144	620	10	4007	456.80
4/65/13	780	144	800	13	5209	597.10
4/65/17	1020	144	1040	17	6812	773.20
4/65/21	1260	144	1280	21	8414	949.30
760mm high						
4/75/10	600	144	620	10	4652	506.60
4/75/13	780	144	800	13	6047	661.90
4/75/17	1020	144	1040	17	7908	858.00
4/75/21	1260	144	1280	21	9768	1054.00



For full range of sizes, please refer to K-Rad Trade Range brochure

Supplied in dark grey primer (RAL7022) for over painting. RAL colour finish available - POA  
Please ensure that you have a joining key, to check all joints are tight before installing.





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
SJC-1	1300	600	100	2786	556.20



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
MIA (Horizontal)	450	1400	1350	1708	414.10
MIA (Vertical)	1400	450	1350	1708	414.10

# Cincinnati


Anthracite  
Finish

Tested  
13  
BAR

5 YEAR  
GUARANTEE



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
CVG	2000	351	50	4628	567.50



# Kansas


Anthracite  
Finish

Tested  
13  
BAR

5 YEAR  
GUARANTEE




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
MCI	2000	276	50	5369	678.70








Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
LAX	1604	500	50	4778	452.00




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
ORD	1806	645	50	7560	622.60






Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
IDA15-0240	1500	240	200	2667	650.00
IDA15-0340	1500	340	300	3735	909.80
IDA18-0240	1800	240	200	3200	749.90
IDA18-0340	1800	340	300	4483	973.70
IDA18-0440	1800	440	400	5780	1242.80
ZXIDA	Optional Towel Holder				193.10





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
TOL500-1200	1200	500	445	2770	553.90
TOL600-1200	1200	600	545	3440	664.90








Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
MET800-500	800	500	475	1701	235.30
MET800-600	800	600	575	1841	246.40
MET1200-500	1200	500	475	2192	338.60
MET1200-600	1200	600	575	2625	354.10




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
OHI500-800P	800	500	450	2321	495.50
OHI500-1200P	1200	500	450	3480	635.40



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
CON500-900	900	500	472	843	419.60
CON350-1200	1200	350	322	891	392.90
CON500-1200	1200	500	472	1124	532.80
CON350-1800	1800	350	322	1050	519.50
CON500-1800	1800	500	472	1323	731.30



Straight



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
ORL500-720	720	500	468	1556	305.00
ORL600-720	720	600	568	1682	353.00
ORL500-1200	1200	500	468	2410	454.20
ORL600-1200	1200	600	568	2564	487.50
ORL500-1500	1500	500	468	2853	551.40
ORL600-1500	1500	600	568	3022	584.70

Curved

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
ORL500-720C	720	500	468	1556	347.70
ORL600-720C	720	600	568	1682	381.00
ORL500-1200C	1200	500	468	2140	508.80
ORL600-1200C	1200	600	568	2564	563.40
ORL500-1500C	1500	500	468	2853	603.40



# Newark Designer Rail


Chrome  
PLATED

Tested  
**13**  
BAR

**5 YEAR**  
GUARANTEE



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
EWR	952	500	86	462	1201	260.20
EWR-1	1306	500	86	462	1703	294.90




Chrome  
PLATED

Tested  
**10**  
BAR

**5 YEAR**  
GUARANTEE



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
MEM500-1200	1200	500	65	450	2079	331.90
MEM600-1200	1200	600	65	550	2390	365.20



# Memphis Designer Rail



# Phoenix Designer Rail


Chrome  
PLATED

Tested  
**13**  
BAR

**5 YEAR**  
GUARANTEE




Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
PHX	1150	500	151	400	1945	295.10



Chrome  
PLATED

Tested  
**13**  
BAR

**5 YEAR**  
GUARANTEE




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
JFK	906	500	100	1198	283.10


# New York Designer Rail



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
IAH	945	675	558	870	486.20





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
LAS	945	675	528	5521	383.00
LAS-1	945	500	356	3013	366.30







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
OAK	916	500	300	1411	282.00
OAK-1	1176	500	300	1820	317.70



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
SQR508C	800	500	455	1310	176.50
SQR608C	800	600	555	1520	198.70
SQR512C	1200	500	455	1910	243.10
SQR612C	1200	600	555	2200	265.30
SQR516C	1600	500	455	2495	309.70
SQR616C	1600	600	555	2890	343.00



# K-Rail 22mm Chrome

Chrome  
PLATED

Tested  
10  
BAR

5 YEAR  
GUARANTEE




## 22mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
STR308C	300	800	255	957	70.90
STR408C	400	800	355	1100	75.00
STR508C	500	800	455	1302	80.70
STR608C	600	800	555	1509	86.30
STR310C	300	1000	255	1140	83.20
STR410C	400	1000	355	1311	88.00
STR510C	500	1000	455	1540	95.90
STR610C	600	1000	555	1781	99.40
STR312C	300	1200	255	1388	92.70
STR412C	400	1200	355	1595	98.10
STR512C	500	1200	455	1881	107.80
STR612C	600	1200	555	2182	114.60
STR316C	300	1600	255	1835	113.70
STR416C	400	1600	355	2108	120.30
STR516C	500	1600	455	2484	131.60
STR616C	600	1600	555	2881	140.10
STR518C	500	1800	455	2855	165.60
STR618C	600	1800	555	3312	180.90

## 22mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
CTR308C	300	800	255	957	75.10
CTR408C	400	800	355	1100	79.80
CTR508C	500	800	455	1302	85.50
CTR608C	600	800	555	1509	91.10
CTR310C	300	1000	255	1140	88.20
CTR410C	400	1000	355	1311	93.30
CTR510C	500	1000	455	1540	101.70
CTR610C	600	1000	555	1781	105.30
CTR312C	300	1200	255	1388	98.20
CTR412C	400	1200	355	1595	104.00
CTR512C	500	1200	455	1881	114.20
CTR612C	600	1200	555	2182	121.50
CTR316C	300	1600	255	1835	120.50
CTR416C	400	1600	355	2108	125.10
CTR516C	500	1600	455	2484	136.40
CTR616C	600	1600	555	2881	144.90
CTR518C	500	1800	455	2855	175.50
CTR618C	600	1800	555	3312	191.70



Notes: Max operating pressure 7 bar.

Chrome  
PLATED

Tested  
10  
BAR


5 YEAR  
GUARANTEE

## 22mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
STR308W	300	800	255	1364	48.90
STR408W	400	800	355	1567	51.70
STR508W	500	800	455	1856	55.70
STR608W	600	800	555	2151	59.60
STR310W	300	1000	255	1626	57.40
STR410W	400	1000	355	1868	60.70
STR510W	500	1000	455	2194	66.20
STR610W	600	1000	555	2538	68.60
STR312W	300	1200	255	1978	64.00
STR412W	400	1200	355	2274	67.70
STR512W	500	1200	455	2680	74.40
STR612W	600	1200	555	3109	79.10
STR316W	300	1600	255	2614	78.40
STR416W	400	1600	355	3006	83.00
STR516W	500	1600	455	3540	90.80
STR616W	600	1600	555	4105	96.70
STR518W	500	1800	455	4069	114.30
STR618W	600	1800	555	4720	124.80

## 22mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
CTR308W	300	800	255	1364	51.80
CTR408W	400	800	355	1567	55.10
CTR508W	500	800	455	1856	59.00
CTR608W	600	800	555	2151	62.90
CTR310W	300	1000	255	1626	60.80
CTR410W	400	1000	355	1868	64.40
CTR510W	500	1000	455	2194	70.20
CTR610W	600	1000	555	2538	72.70
CTR312W	300	1200	255	1978	67.80
CTR412W	400	1200	355	2274	71.70
CTR512W	500	1200	455	2680	78.80
CTR612W	600	1200	555	3109	83.80
CTR316W	300	1600	255	2614	83.10
CTR416W	400	1600	355	3006	86.30
CTR516W	500	1600	455	3540	94.10
CTR616W	600	1600	555	4105	100.00
CTR518W	500	1800	455	4069	121.10
CTR618W	600	1800	555	4720	132.30



Notes: Max operating pressure 7 bar.

# K-Rail 22mm White



# K-Rail New 25mm Chrome

Chrome  
PLATED

Tested  
10  
BAR

5 YEAR  
GUARANTEE




## 25mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
25STR308C	300	800	255	1106	94.30
25STR408C	400	800	355	1272	97.70
25STR508C	500	800	455	1506	105.50
25STR608C	600	800	555	1746	108.80
25STR310C	300	1000	255	1319	105.50
25STR410C	400	1000	355	1516	108.80
25STR510C	500	1000	455	1781	116.60
25STR610C	600	1000	555	2060	119.90
25STR312C	300	1200	255	1605	116.60
25STR412C	400	1200	355	1845	119.90
25STR512C	500	1200	455	2175	127.60
25STR612C	600	1200	555	2524	131.00
25STR316C	300	1600	255	2122	138.80
25STR416C	400	1600	355	2439	142.10
25STR516C	500	1600	455	2873	149.90
25STR616C	600	1600	555	3332	164.30
25STR518C	500	1800	455	3302	194.20
25STR618C	600	1800	555	3830	208.70

## 25mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
25CTR308C	300	800	255	1106	99.90
25CTR408C	400	800	355	1272	103.20
25CTR508C	500	800	455	1506	116.60
25CTR608C	600	800	555	1746	119.90
25CTR310C	300	1000	255	1319	111.00
25CTR410C	400	1000	355	1516	114.30
25CTR510C	500	1000	455	1781	122.10
25CTR610C	600	1000	555	2060	125.40
25CTR312C	300	1200	255	1605	122.10
25CTR412C	400	1200	355	1845	125.40
25CTR512C	500	1200	455	2175	133.20
25CTR612C	600	1200	555	2524	136.50
25CTR316C	300	1600	255	2122	149.90
25CTR416C	400	1600	355	2439	153.20
25CTR516C	500	1600	455	3302	160.90
25CTR616C	600	1600	555	3332	175.40
25CTR518C	500	1800	455	3302	205.40
25CTR618C	600	1800	555	3830	219.80



Notes: Max operating pressure 7 bar.

Chrome  
PLATED

Tested  
10  
BAR


5 YEAR  
GUARANTEE

## 25mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
PTR407SC	400	750	355	1368	116.60
PTR507SC	500	750	455	1620	139.90
PTR607SC	600	750	555	1878	163.20
PTR410SC	400	1000	355	1631	129.90
PTR510SC	500	1000	455	1915	153.20
PTR610SC	600	1000	555	2216	176.50
PTR413SC	400	1300	355	1984	169.80
PTR513SC	500	1300	455	2340	193.10
PTR613SC	600	1300	555	2715	216.50
PTR418SC	400	1800	355	2624	233.10
PTR518SC	500	1800	455	3090	279.70
PTR618SC	600	1800	555	3583	303.00

## 25mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
PTR407CC	400	750	355	1368	129.90
PTR507CC	500	750	455	1620	153.20
PTR607CC	600	750	555	1878	176.50
PTR410CC	400	1000	355	1631	143.20
PTR510CC	500	1000	455	1915	166.50
PTR610CC	600	1000	555	2216	189.80
PTR413CC	400	1300	355	1984	183.20
PTR513CC	500	1300	455	2340	206.50
PTR613CC	600	1300	555	2715	229.80
PTR418CC	400	1800	355	2624	246.40
PTR518CC	500	1800	455	3090	293.00
PTR618CC	600	1800	555	3583	316.40



Notes: Max operating pressure 7 bar.

# K-Rail 25mm Chrome





# K-Rail 25mm White

Chrome  
PLATED

Tested  
10  
BAR

5 YEAR  
GUARANTEE




## 25mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
PTR407SW	400	750	355	1949	81.60
PTR507SW	500	750	455	2309	97.90
PTR607SW	600	750	555	2676	114.20
PTR410SW	400	1000	355	2324	90.90
PTR510SW	500	1000	455	2729	107.20
PTR610SW	600	1000	555	3157	123.50
PTR413SW	400	1300	355	2829	100.20
PTR513SW	500	1300	455	3333	116.60
PTR613SW	600	1300	555	3869	132.90
PTR418SW	400	1800	355	3739	163.20
PTR518SW	500	1800	455	4404	195.80
PTR618SW	600	1800	555	5107	212.10

## 25mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
PTR407CW	400	750	355	1949	90.90
PTR507CW	500	750	455	2309	107.20
PTR607CW	600	750	555	2676	123.50
PTR410CW	400	1000	355	2324	100.20
PTR510CW	500	1000	455	2729	116.60
PTR610CW	600	1000	555	3157	132.90
PTR413CW	400	1300	355	2829	109.60
PTR513CW	500	1300	455	3333	125.90
PTR613CW	600	1300	555	3869	142.20
PTR418CW	400	1800	355	3739	172.50
PTR518CW	500	1800	455	4404	205.10
PTR618CW	600	1800	555	5107	221.40



Notes: Max operating pressure 7 bar.

# K-Rail 19mm


Chrome  
PLATED

Tested  
10  
BAR


5 YEAR  
GUARANTEE



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output Δt60°C (BTUs)	Price (£)
Straight					
STR507CKE	750	500	455	940	66.60
STR512CKE	1200	500	455	1,112	93.20
STR612CKE	1200	600	555	1,307	106.60
Curved					
CTR507CKE	750	500	455	940	73.30
CTR512CKE	1200	500	455	1,112	99.90
CTR612CKE	1200	600	555	1,307	113.20



Notes: Max operating pressure 7 bar.



Electric Towel Rail – On/Off

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Element Power (W)	Price (£)
Straight					
ESTR508C	800	500	455	150	178.90
ESTR510C	1000	500	455	200	205.80
ESTR512C	1200	500	455	300	233.00
Curved					
ECTR508C	800	500	455	150	184.40
ECTR510C	1000	500	455	200	211.30
ECTR512C	1200	500	455	300	238.50

Electric Towel Rail – Thermostatic

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Element Power (W)	Price (£)
Straight					
ETSTR508C	800	500	455	150	226.10
ETSTR510C	1000	500	455	150	253.00
ETSTR512C	1200	500	455	300	280.20
Curved					
ETCTR508C	800	500	455	150	231.60
ETCTR510C	1000	500	455	150	258.50
ETCTR512C	1200	500	455	300	285.70



Modern Valves (Pair)

<b>Straight</b> KART-STR	£16.20
<b>Angled</b> KART-ANG	£16.20



Square Valves (Pair)

<b>Straight</b> SQR-STR	£43.20
<b>Angled</b> SQR-ANG	£43.20



Cube Valves (Pair)

<b>Straight</b> CUBE-STR	£32.40
<b>Angled</b> CUBE-ANG	£32.40



Times Valves (Pair)

<b>Straight</b> CROSS-STR	£32.40
<b>Angled</b> CROSS-ANG	£32.40



Traditional Cross Head Valves (Pair)

<b>Angled</b> TRAD-CROSS-ANG	£37.80
---------------------------------	--------



Aspen Valves (Pair)

<b>Straight</b> ASP-STR	£43.20
<b>Angled</b> ASP-ANG	£43.20



Corner Valves (Pair)

CRNV	£32.40
------	--------



Traditional – Chrome

TRAD-ANG-C	£64.80
------------	--------



Traditional – Brass

TRAD-ANG-B	£64.80
------------	--------





Nostalgia Thermostatic Valves  
VLVCHA-TRV £97.20



Nostalgia Manual Valves  
VLVCHA-AB1 £81.00



Refine Thermostatic Valve  
Straight TRVRS £21.60  
Angled TRVRA £21.60



Refine All Chrome Thermostatic Valve  
Straight TRVRSC £27.00  
Angled TRVRAC £27.00



Style Thermostatic Valve  
Straight TRVSS £11.00  
Angled TRVSA £10.50



Dual Fuel Heating Element  
HE150 150 Watt £64.80  
HE300 300 Watt £71.30  
HE600 600 Watt £77.80

Dual Fuel Thermostatic Heating Element  
TE300 300 Watt £129.60  
TE600 600 Watt £142.60



Dual Fuel Thermostatic Heating Element



**KARTELL<sup>UK</sup>**

Kartell UK Ltd  
16-19 The Manton Centre, Manton Lane,  
Bedford MK41 7PX  
Tel 01234 363 393 Fax 01234 363 488

Kartell UK Ltd  
Unit 3, Greenbank Business Park, Swan Lane,  
Hindley Green, Wigan WN2 4EZ  
Tel 01942 257 800 Fax 01942 257 900

[www.kartelluk.com](http://www.kartelluk.com)